

TestkingPDF



Try before you buy

Download a free sample of any of our exam questions and answers

 Download Demo

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.



Quality and Value

TestkingPDF Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



Tested and Approved

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



Easy to Pass

If you prepare for the exams using our TestkingPDF testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



Try Before Buy

TestkingPDF offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

<http://www.testkingpdf.com>

Valid test online & stable pass king & latest PDF dumps

Exam : HP2-K21

Title : Designing HP Enterprise Storage
Solutions-Delta
Storage Solutions-Delta

Vendors : HP

Version : DEMO

NO.1 The StorageWorks P4000 SAN architecture consists of three basic layers. Which function or component is contained in the OS infrastructure layer?

- A. Security Services
- B. Centralized Management Console
- C. Windows Solution Pack
- D. P4000VSA

Answer: C

NO.2 Which statement is true about using Performance Advisor to gather P9500 performance data?

- A. One collection schedule can be created per array.
- B. Two collection schedules can be created per array
- C. Three collection schedules can be created per array
- D. Four collection schedules can be created per array

Answer: A

NO.3 The HP 3PAR architecture is capable of parallel processing of data and control information. What does this help provide?

- A. QoS tagging of all 10 requests
- B. I/O prioritization
- C. application aware I'O processing
- D. consistent performance for mixed workloads

Answer: D

NO.4 Autonomic tiering provides a self-optimizing capability for which HP array'?

- A. HP EVA
- B. HP3PAR
- C. HP P4000
- D. HPX9000

Answer: B

NO.5 Which statement is true about iSCSI clusters when implemented on a P4000?

- A. It can only span one subnet
- B. It can only span two subnets
- C. It can only span three subnets
- D. It can only span four subnets

Answer: B

NO.6 On the X1000 and X3000 Network storage systems, which standard feature of Windows 2008 optimizes storage capacity by actively comparing and eliminating identical files on file sharing volumes?

- A. dynamic deduplication
- B. StofeOnce
- C. accelerated deduplication
- D. Single Instance Storage

Answer: D

NO.7 Which P4000 features does a Multi-site SAN offer that a Campus SAN does not? (Select two.)

- A. multi-subnet clusters
- B. centralized licensing
- C. I/O preferencingbasedon site
- D. auto failover and tailback
- E. SAN1Q Failover Manager

Answer: A,D

NO.8 Your customer is considering the HP 3PAR range of arrays and is concerned about resilience. Which feature provides increased resiliency?

- A. write-thru cache
- B. disk-dependent RAID
- C. dynamic optimization
- D. many-to-many drive rebuild

Answer: D

NO.9 Your customer has two D2D2501 devices each with a single VTL configured and a D2D4112 with two VTLs configured, each replicating to a D2D4312 How many replication licenses are required for this design.?

- A. 1 license
- B. 2 licenses
- C. 3 licenses
- D. 4 licenses

Answer: D

NO.10 Your customer is looking to implement replication between three D2D devices. Which statement is true

about licensing the replication functionality of the D2D?

- A. A replication license is required for both the source and the target devices
- B. A replication license is required for the target devices
- C. Replication functionality is included as part of the base firmware and is not licensed
- D. A replication license is only required for the source device.

Answer: D