

# TestkingPDF



Try before you buy

Download a free sample of any of our exam questions and answers

 Download Demo

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.



## Quality and Value

TestkingPDF Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



## Tested and Approved

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



## Easy to Pass

If you prepare for the exams using our TestkingPDF testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



## Try Before Buy

TestkingPDF offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

<http://www.testkingpdf.com>

Valid test online & stable pass king & latest PDF dumps

**Exam :** JN0-303

**Title :** Juniper networks Certified internet specialist.m(jncis-m)

**Vendors :** Juniper

**Version :** DEMO

NO.1 When comparing CPE and provider-provisioned VPNs (PPVPN), which two statements are true?

(Choose two.)

- A. CPE VPN's require dedicated VPN aware hardware at customer site, PPVPN does not.
- B. PPVPN's require dedicated VPN aware hardware at customer site, CPE VPN's does not.
- C. CPE VPN's scale better than PPVPN's as they do not require a per site configuration on the CPE.
- D. PPVPN's scale better than CPE VPN's as they do not require a per site configuration on the CPE.

Answer: AD

NO.2 Which two mechanisms control route distribution between PE routers in a 2547bis VPN? (Choose two.)

- A. Site ID
- B. Policies
- C. Circuit ID
- D. Extended communities

Answer: BD

NO.3 What is the administrative scoping address range associated with global scope?

- A. 224.0.0.0/24
- B. 239.128.0.0/10
- C. 239.192.0.0/14
- D. 224.0.1.0?38.255.255.255

Answer: D

NO.4 Which three RP election mechanisms are available in a PIM-SM domain? (Choose three.)

- A. Static
- B. Auto-RP
- C. Dynamic-RP
- D. Bootstrap router

Answer: ABD

NO.5 An OSPF non-backbone area allows external routes to be flooded within the area. These external routes are

propagated into other areas. However, external routes from other areas are not allowed to enter this area.

Which type of OSPF area does this describe?

- A. stub area
- B. transit area
- C. border area
- D. not-so-stubby area

Answer: D

NO.6 What prevents routing loops when MSDP is configured across multiple domains?

- A. PIM-SM
- B. Scoping
- C. Auto-RP
- D. MBGP

Answer: D

NO.7 Which LSA is the Type 10?

- A. Router LSA
- B. Opaque LSA
- C. AS attributes LSA
- D. ASBR summary LSA
- E. Network summary LSA

Answer: B

NO.8 Which multicast mode does Auto-RP require?

- A. Link-mode
- B. Dense mode
- C. Sparse mode D. Sparse-dense mode

Answer: D

NO.9 In JUNOS software, which type of VPN supports IPX and Appletalk?

- A. Martini based VPN's
- B. 2547bis based VPN's
- C. Sham link based VPN's
- D. Virtual Router based VPN's

Answer: A

NO.10 In JUNOS software, what is required to redistribute RIP routes into OSPF?

- A. Apply an export policy in RIP.
- B. Apply an import policy in RIP.
- C. Apply an export policy in OSPF.
- D. Apply an import policy in OSPF.

Answer: C

NO.11 Which JUNOS software operational-mode command displays the status of a Draft-Martini VPN?

- A. show ldp neighbor
- B. show martini connections
- C. show l2circuit connections
- D. show l2vpn connections

Answer: C

NO.12 What are two commands that can be used to configure MBGP for multicast? (choose two)

- A. Under the BGP group, configure family inet any
- B. Use the set protocol MBGP command to enable MBGP
- C. Under the BGP group, configure family inet multicast
- D. Use the set rib-group command to copy the multicast routes into inet.1

Answer: AC

NO.13 PE1 has connections to VPN sites that are served by three remote PE routers. How many LSP's must

be established to support 2547bis?

- A. an LSP for each local CE device
- B. an LSP for each remote PE device
- C. an LSP for each remote CE device
- D. an LSP for each CE facing interface

Answer: B

NO.14 What are three examples of a provider-provisioned VPN supported by JUNOS software? (Choose three.)

- A. L2F
- B. PPTP
- C. Circuit cross-connect

- D. Draft-Martini-based VPNs
- E. Draft-Kompella-based VPNs

Answer: CDE

NO.15 Which two steps are required for a Kompella Layer 2 VPN? (Choose two.)

- A. Configure a site ID for each CE
- B. Configure a VPN label for each VPN
- C. Configure a MP-BGP session to each PE
- D. Configure an Extended LDP Session to each PE

Answer: AC

NO.16 In JUNOS software, which three are valid encapsulation types for CCC? (Choose three.)

- A. hdlc-ccc
- B. atm-cell-ccc
- C. cisco-hdlc-ccc
- D. ethernet-vlan-ccc
- E. ethernet-snap-ccc

Answer: BCD

NO.17 Which two multicast groups support Auto-RP mapping and discovery? (Choose two.)

- A. 224.0.0.39
- B. 224.0.1.39
- C. 224.0.0.40
- D. 224.0.1.40

Answer: BD

NO.18 Which represents a correct PE-PE BGP configuration for an L3 VPN?

A. [edit]

```
lab@Amsterdam# show protocols bgp
group int {
type internal;
local-address 192.168.24.1;
neighbor 192.168.16.1;
}
```

B. [edit]

```
lab@Amsterdam# show protocols bgp
group int {
```

```
type internal;  
local-address 192.168.24.1;  
family inet {  
any;  
}  
neighbor 192.168.16.1; }
```

C. [edit]

```
lab@Amsterdam# show protocols bgp  
group int {  
type internal;  
local-address 192.168.24.1;  
family inet {  
unicast;  
}  
family inet-vpn {  
unicast;  
neighbor 192.168.16.1;  
}  
}
```

D. [edit]

```
lab@Amsterdam# show protocols bgp  
group int {  
type internal;  
local-address 192.168.24.1;  
family inet {  
13-vpn;  
}  
neighbor 192.168.16.1;  
}  
}
```

Answer: C

NO.19 In what PIM topology would you use MSDP within a single domain?

- A. Auto-RP
- B. Anycast RP
- C. Bootstrap router
- D. PIM sparse mode

Answer: B

NO.20 What is the Draft-Kompella control plane based on?

- A. IGP
  - B. LDP
  - C. BGP
  - D. MPLS
- Answer: C